SEQUENCE LISTING

(1) GENERAL INFORMATION:

- (i) APPLICANT: Gudkov, Andrei Roninson, Igor B.
- (ii) TITLE OF INVENTION:

Genes And Genetic Elements Associated

With Sensitivity To Chemotherapeutic Drugs

- (iii) NUMBER OF SEQUENCES: 22
- (iv) CORRESPONDENCE ADDRESS:
 - (A) ADDRESSEE: Allegretti & Witcoff, Ltd.
 - (B) STREET: 75 State Street
 - (C) CITY: Boston
 - (D) STATE: Massachusetts
 - (E) COUNTRY: U.S.A.
 - (F) ZIP: 02109

12

j., 2.

H

- (v) COMPUTER READABLE FORM:
 - (A) MEDIUM TYPE: Floppy disk
 - (B) COMPUTER: IBM PC compatible
 - (C) OPERATING SYSTEM: PC-DOS/MS-DOS
 - (D) SOFTWARE: PatentIn Release #1.0, Version #1.25
- (vi) CURRENT APPLICATION DATA:
 - (A) APPLICATION NUMBER:
 - (B) FILING DATE:
 - (C) CLASSIFICATION:
- (viii) ATTORNEY/AGENT INFORMATION:
 - (A) NAME: Keown, Wayne A.
 - (B) REGISTRATION NUMBER: 33,923
 - (C) REFERENCE/DOCKET NUMBER: 93,354
 - (ix) TELECOMMUNICATION INFORMATION:
 - (A) TELEPHONE: 617/345-9100
 - (B) TELEFAX: 617/345-9111
- (2) INFORMATION FOR SEQ ID NO:1:
 - (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 163 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear
 - (ii) MOLECULE TYPE: cDNA

(iii) H	YPOI	HETI	CAL:	NO
---------	------	------	------	----

(iv) ANTI-SENSE: YES

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:1:

GTGTCTGGGC GGAGCAAAAT ATGTTCCAAT TGTGTTTTCT TTTGATAGAT TCTTTCAACA 60
GACAGTCTTT TCTTAGCATC TTCATTTTTC TTTATTTTGT TGACTTGCAT ATTTTCATTT 120
ACAGGCTGCA ATGGTGACAC TTCCATGGTG ACGGTCGTGA AGGG 164

(2) INFORMATION FOR SEQ ID NO:2:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 213 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: cDNA
- 🕌 (iii) HYPOTHETICAL: NO
- 🕯 (iv) ANTI-SENSE: NO

- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:2:
- TGAAAAGATG TATGTCCCAG CTCTCATATT TGGACAGCTC CTAACTTCTA GTAACTATGA 60
 TGATGATGAA AAGAAAGTGA CAGGTGGTCG AAATGGCTAT GGAGCCAAAT TGTGTAACAT 120
 ATTCAGTACC AAATTTACTG TGGAAACAGC CAGTAGAGAA TACAAGAAAA TGTTCAAACA 180
 GACATGGATG GATAATATGG GAAGAGCTGG TGA 213
- (2) INFORMATION FOR SEQ ID NO:3:
 - (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 181 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear
 - (ii) MOLECULE TYPE: cDNA

(iii) HYPOTHETICAL: NO	
(iv) ANTI-SENSE: NO	
(xi) SEQUENCE DESCRIPTION: SEQ ID NO:3:	•
GCCCATTGGT CAGTTTGGTA CCAGGCTACA TGGTGGCAAG GATTCTGCTA GTCCACGATA	60
CATCTTTACA ATGCTCAGCT CTTTGGCTCG ATTGTTATTT CCACCAAAAC ATGATCACAC	120
GTTGAAGTTT TTATATGATG ACAACCAGCG TGTTGAGCCT GAATGGTACA TTCCTATTAT	180
T 181	
(2) INFORMATION FOR SEQ ID NO:4: (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 180 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear (ii) MOLECULE TYPE: cDNA (iii) HYPOTHETICAL: NO (iv) ANTI-SENSE: NO (xi) SEQUENCE DESCRIPTION: SEQ ID NO:4:	
TGAATGGTAC ATTCCTATTA TTCCCATGGT GCTGATAAAT GGTGCTGAAG GAATCGGTAC	60
TGGGTGGTCC TGCAAAATCC CCAACTTTGA TGTGCGTGAA ATTGTAAATA ACATCAGGCG	120
TTTGATGGAT GGAGAAGAAC CTTTGCCAAT GCTTCCAAGT TACAAGAACT TCAAGGGTAC	180
TATTGAAGAA CTGGCTCCAA ATCAATATGT GATTAGTGGT GAAG 224	

- (2) INFORMATION FOR SEQ ID NO:5:
 - (i) SEQUENCE CHARACTERISTICS:
 (A) LENGTH: 329 base pairs
 (B) TYPE: nucleic acid
 (C) STRANDEDNESS: single

- (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: cDNA
- (iii) HYPOTHETICAL: NO
- (iv) ANTI-SENSE: NO
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:5:

TGCGTGAAAT TGTAAATAAC ATCAGGCGTT TGATGGATGG AGAAGAACCT TTGCCAATGC 60

TTCCAAGTTA CAAGAACTTC AAGGGTACTA TTGAAGAACT GGCTCCAAAT CAATATGTGA 120

TTAGTGGTGA AGTAGCTATT CTTAATTCTA CAACCATTGA AATCTCAGAG CTTCCCGTCA 180

GAACATGGAC CCAGACATAC AAAGAACAAG TTCTAGAACC CATGTTGAAT GGCACCGAGA 240

AGACACCTCC TCTCATAACA GACTATAGGG AATACCATAC AGATACCACT GTGAAATTTG 300

TTGTGAAGAT GACTGAAGAA AAACTGGCA 329

- (2) INFORMATION FOR SEQ ID NO:6:
- 🥞 (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 193 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: cDNA
- (iii) HYPOTHETICAL: NO

Ş., 2.

T.

- (iv) ANTI-SENSE: YES
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:6:
- CACTCTTTC AGTTTCCTTT TCGTTGTCAC TCTCTTCATT TTCTTCTTCA TCTGGAACCT 60

 TTTGCTGGGC TTCTTTCCAG GCCTTCACAG GATCCGAATC ATATCCCCTC TGAATCAGAA 120

 CTTTAATTAA TTCTTTCTTA GGCTTATTTT CAATGATTAT TTTGCCATCT ATTTTCTCAT 180

 AGATAAAGCG AGCC 194

(i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 180 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear (ii) MOLECULE TYPE: cDNA (iii) HYPOTHETICAL: NO (iv) ANTI-SENSE: YES (xi) SEQUENCE DESCRIPTION: SEQ ID NO:7: TCTGCCTCTG CTTTCATTTC TATGGTTATT CGTGGAATGA CTCTTTGACC ACGCGGAGAA 60 GGCAAAACTT CAGCCATTTG TGTTTTTTTC CCCTTGGCCT TCCCCCCTTT CCCAGGAAGT 120 CCGACTTGTT CATCTTGTTT TTCCTTGGCT TCAACAGCCT CCAATTCTTC AATAAATGTA 180 **GCCAAGTCTT CTTTCCACAA ATCTGA** 206 Š. 2. (2) INFORMATION FOR SEQ ID NO:8: (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 194 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear M. (ii) MOLECULE TYPE: cDNA (iii) HYPOTHETICAL: NO (iv) ANTI-SENSE: YES (xi) SEQUENCE DESCRIPTION: SEQ ID NO:8: 60 GACACGACAC TTTTCTGTGG TTTCAGTTCT TTGTTACTAA GTTTTGGGGA AGTTTTGGTC 120 TTAGGTGGAC TAGCATCTGA TGGGACAAAA TCTTCATCAT CAGTTTTTTC ATCAAAATCT GAGAAATCTT CATCTGAATC CAAATCCATT GTGAATTTTG TTTTTGTTGC TGCTCTCCGT 180

(2) INFORMATION FOR SEQ ID NO:7:

GGCTCTGTTT CTCG

(2) INFORMATION FOR SEQ ID NO:9:	
(i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 242 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear	
(ii) MOLECULE TYPE: cDNA	
(iii) HYPOTHETICAL: NO	
(iv) ANTI-SENSE: NO	
(xi) SEQUENCE DESCRIPTION: SEQ ID NO:9:	
CTGAAACCAC AGAAAAGTGT CGTGTCAGAC CTTGAAGCTG ATGATGTTAA GGGCAGTGTA	60
CCACTGTCTT CAAGCCCTCC TGCTACACAT TTCCCAGATG AAACTGAAAT TACAAACCCA	120
GTTCCTAAAA AGAATGTGAC AGTGAAGAAG ACAGCAGCAA AAAGTCAGTC TTCCACCTCC	180
ACTACCGGTG CCAAAAAAAG GGCTGCCCCA AAAGGAACTA AAAGGGATCC AGCTTTGAAT	240
TC . 242	
(2) INFORMATION FOR SEQ ID NO:10:	
(i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 341 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear	
(ii) MOLECULE TYPE: cDNA	
(iii) HYPOTHETICAL: NO	

(iv) ANTI-SENSE: NO

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:10:

AACCAGCGTG TTGAGCCTGA ATGGTACATT CCTATTATTC CCATGGTGCT GATAAATGGT 60
GCTGAAGGAA TCGGTACTGG GTGGTCCTGC AAAATCCCCA ACTTTGATGT GCGTGAAATT 120
GTAAATAACA TCAGGCGTTT GATGGATGGA GAAGAACCTT TGCCAATGCT TCCAAGTTAC 180

GTAGCTATTC TTAATTCTAC AACCATTGAA ATCTCAGAGC TTCCCGTCAG AACATGGACC	300
CAGACATACA AAGAACAAGT TCTAGAACCC ATGTTGAATG G 341	
(2) INFORMATION FOR SEQ ID NO:11:	
(i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 220 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear	
(ii) MOLECULE TYPE: cDNA	
(iii) HYPOTHETICAL: NO	
(iv) ANTI-SENSE: YES	
(xi) SEQUENCE DESCRIPTION: SEQ ID NO:11:	
AATTCAAAGC TGGATCCCTT TTAGTTCCTT TTGGGGCAGC CCTTTTTTTTG GCACCGGTAG	60
TGGAGGTGGA AGACTGACTT TTTGCTGCTG TCTTCTTCAC TGTCACATTC TTTTTAGGAA	120
CTGGGTTTGT AATTTCAGTT TCATCTGGGA AATGTGTAGC AGGAGGGCTT GAAGACAGTG	180
GTACACTGCC CTTAACATCA TCAGCTTCAA GGTCTGACAC 220	
(2) INFORMATION FOR SEQ ID NO:12:	
(i) SPOTENCE CHARACTERISTICS:	

AAGAACTTCA AGGGTACTAT TGAAGAACTG GCTCCAAATC AATATGTGAT TAGTGGTGAA

- - (A) LENGTH: 2389 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: cDNA
- (iii) HYPOTHETICAL: NO
- (iv) ANTI-SENSE: NO

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:12: GTGTTGAGCC TGAATGGTAC ATTCCTATTA TTCCCATGGT GCTGATAAAT GGTGCTGAAG 60 GAATCGGTAC TGGGTGGTCC TGCAAAATCC CCAACTTTGA TGTGCGTGAA TTGTAAATA

ACATCAGGCG TTTGATGGAT GGAGAAGAAC CTTTGCCAAT GCTTCCAAGT

170

(2) INFORMATION FOR SEQ ID NO:13:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 20 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: cDNA
- (iii) HYPOTHETICAL: NO
- (iv) ANTI-SENSE: NO

ļ.£

12

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:13:

NATCATCGAT GGATGGATGG

20

- (2) INFORMATION FOR SEQ ID NO:14:
- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 23 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear
 - (ii) MOLECULE TYPE: cDNA
 - (iii) HYPOTHETICAL: NO
 - (iv) ANTI-SENSE: YES
 - (xi) SEQUENCE DESCRIPTION: SEQ ID NO:14:

CCATCCATCCATGATTAAA

(2) INFORMATION FOR SEQ ID NO:15:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 327 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: cDNA
- (iii) HYPOTHETICAL: NO
- (iv) ANTI-SENSE: YES
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:15:
- CTTGATCCCT TCTGGTTGAT GCCAGAAGCT CTTCCTGATC CAGCATTTGT ATCTTCAATT 60 TCTCTACCAA TTGGCTTTGT TGGTTAATCT CTTCATCCTT GTCATCAAGT TGTTTATACA 120 ÄTTTAGCAAG TTCTTCTTCA CACTTTCTTC TTTCAGCATC GGTAAAACTA CCAGCCATTC 180 CGACTGCAGC AGCTGGTTTA TCACTGGTAA TAGCAATATC TTTATCCGCT GTGAAGGCTT 240 CCAAATTAGC TTTCTCTTTG TCAAACTGCT CATCAATAGG CACTGTCTCC CCGTTACGCC 300

AACGGTTTAG CTCGTTTTCC AGCCACT 327

- (2) INFORMATION FOR SEQ ID NO:16:
- ### ### (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 250 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear
 - (ii) MOLECULE TYPE: cDNA
 - (iii) HYPOTHETICAL: NO
 - (iv) ANTI-SENSE: NO

ļ

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:16:

CCGACCGGGA GCGGGAGAAG GAGCGGGAGCGGGAGAGCAGCG GGAGAAGGAG CGGGAGAAGG 60 AGCTGGAGCG CGACGGGAGA AGGAACGGGA GCGCGAGCTG GAGCGGCAGC GGGAGCAGCG 120

GGC	CGAGCTG CACGGACTCC GA	GGTCACAG CACGGAGGAG CGGCCCAAGC	CCTCGGAGCA 24	IÇ
GCTC	GACCCCA	250		
(2) IN	FORMATION FOR SEQ ID N	O:17:		
(i)	SEQUENCE CHARACTERIST (A) LENGTH: 208 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear	TICS:		
(ii)	MOLECULE TYPE: cDNA	-		
(iii)	HYPOTHETICAL: NO	•		
⊬(iv)	ANTI-SENSE: NO	· • ·		
tj (xi) Få Cj	SEQUENCE DESCRIPTION:	SEQ ID NO:17:		
CTCA	GAGGTG ATCCTCTCGG AC	STCGAGCTC AGGAGAAGGA GTCCCCTTCT	TTGAGACTTG 6	0
GATO	GCAGACC TGCATGTCCG AC	GGAGGGCAA GATTTTGAAC CCTGACCATC	CCTGCTTCCG 12	0
CCCI	GACTCC ACCGAAGTCG AG	STCCTTGGT GGCCCTGCTC AACAACTCTT	CAGAGATGAA 18	0
	AGTACAG ATGAAGTAGC AG			
(i)	SEQUENCE CHARACTERIST (A) LENGTH: 2389 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear	TICS:		
(ii)	MOLECULE TYPE: cDNA			

GGCGAGGGAG AAGGAGCTGC TGGCTGCCAA GGCCTTAGAG CCCACCACCT TCCTGCCTGT

(iii) HYPOTHETICAL: NO

(iv) ANTI-SENSE: NO

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:18:

CGACAAACAT CATCTGGGAA GACCCACACG ATGGAGGGTA AÁCTTCATGA TCCAGAAGGC	60
ATGGGAATTA TTCCAAGAAT AGTGCAAGAT ATTTTTAATT ATATTTACTC CATGGATGAA	120-
AATTTGGAAT TTCATATTAA GGTTTCATAT TTTGAAATAT ATTTGGATAA GATAAGGGAC	180
TTGTTAGATG TTTCAAAGAC TAACCTTTCA GTCCATGAAG ACAAAAACCG TGTTCCCTAT	240
	300
GTAAAGGGGT GCACAGAACG TTTCGTGTGT AGTCCAGATG AAGTCATGGA TACCATAGAT	
GAAGGGAAAT CCAACAGAGA TGTCGCAGTT ACAAATATGA ATGAACATAG CTCTAGGAGC	360
CACAGCATAT TTCTTATTAA TGTAAAACAA GAGAATACAC AAACGGAACA GAAACTCAGT	420
GGAAAGCTTT ATCTGGTTGA TTTAGCTGGC AGTGAGAAGG TTAGTAAGAC TGGGGCTGAA	480
GGTGCTGTGC TGGATGAAGC TAAGAACATC AAGAAGTCAC TTTCTGCACT TGGAAATGTC	5 40
ATTTCTGCTT TGGCAGAGGG CAGTACCTAT GTTCCTTATC GAGATAGTAA AATGACCAGA	600
ATTCTTCAAG ATTCATTAGG TGGCAACTGT AGGACCACTA TTGTCATATG CTGCTCTCCA	660
TCATCATACA ATGAGTCTGA GACAAAGTCA ACACTCCTCT TTGGTCAAAG GGCCAAAACA	720
ATTAAGAACA CAGTCTGTGT CAATGTAGAG TTAACTGCAG AGCAGTGGAA AAAGAAGTAT	780
GAAAAAGAAA AGGAAAAAA TAAGACTCTA CGGAACACTA TTCAGTGGCT GGAAAACGAG	840
CTAAACCGTT GGCGTAACGG GGAGACAGTG CCTATTGATG AGCAGTTTGA CAAAGAGAAA	900
GCTAATTTGG AAGCCTTCAC AGCGGATAAA GATACTGCTA TTACCAGTGA TAAACCAGCT	960
GCTGCAGTCG GAATGGCTGG TAGTTTTACC GATGCTGAAA GAAGAAAGTG TGAAGAAGAA	1020
CTTGCTAAAT TGTATAAACA GCTTGATGAC AAGGATGAAG AGATTAACCA ACAAAGCCAA	1080
TTGGTAGAGA AATTGAAGAC ACAAATGCTG GATCAGGAAG AGCTTCTGGC ATCAACCAGA	1140
AGGGATCAAG ATAATATGCA AGCTGAACTG AATCGCCTCC AAGCAGAAAA TGATGCTTCT	1200
AAAGAAGAAG TCAAAGAAGT TTTACAGGCC TTAGAGGAAC TGGCTGTTAA TTATGATCAG	
AAGTCTCAGG AAGTTGAAGA CAAAACAAAG GAATATGAAT TGCTTAGTGA TGAATTGAAT	1320
CAAAAATCTG CAACTTTAGC AAGTATTGAT GCTGAGCTTC AGAAGCTGAA GGAAATGACC	1380
AACCACCAGA AGAAACGAGC AGCTGAAATG ATGGCATCAT TATTAAAAGA CCTTGCAGAA	1440
ATAGGAATTG CTGTGGGGAA TAACGATGTG AAGCAACCAG AAGGAACTGG TATGATAGAT	1500

GAAGAGTTTA CTGTTGCAAG ACTCTACATT AGCAAAATGA AATCAGAAGT AAAGACCATG 1560 GTGAAACGCT GCAAACAGCT AGAAAGCACG CAGACTGAGA GCAACAAAAA AATGGAAGAA 1620 AATGAGAAAG AGTTAGCAGC ATGCCAGCTT CGGATCTCCC AACATGAAGC CAAAATCAAG 1680 TCACTGACTG AGTACCTTCA GAATGTAGAA CAAAAGAAGA GGCAGCTGGA GGAATCTGTT 1740 GATTCCCTTG GTGAGGAGCT AGTCCAACTC CGAGCACAAG AGAAAGTCCA TGAAATGGAA 1800 AAAGAGCACT TGAACAAGGT TCAGACTGCA AATGAAGTCA AGCAAGCTGT TGAGCAGCAG 1860 ATCCAGAGTC ACAGAGAAAC CCACCAAAAA CAAATCAGTA GCTTGCGAGA TGAAGTTGAG 1920 GCAAAGGAAA AGCTAATCAC TGACCTCCAA GACCAAAACC AGAAGATGGT GTTGGAGCAG 1980 GAACGGCTAAGGGTGGAGCATGAGAGGCTGAAGGCTACAGACCAAGAGAAGAGAAGAGAAG 2040 TTGGAGGAGA CCGTGGCAAA AGAACTTCAG ACTTTACACA ACCTGCGTAA GCTCTTTGTT @AGGACTTGG CTACCAGGGT GAAAAAGAGG CCGAGGTCGA CTCTGACGAC ACTGGCGGCA 2220 GTGCTGCACA GAAGCAGAAA ATCTCCTTCC TTGAAAACAA CCTTGAACAG CTCACCAAAG 2280 #GCACAAGCA GTTGGTACGT GATAATGCAG ATCTTCGCTG TGAGCTTCCT AAGTTAGAGA 2340 *AACGGCTTAG AGCTACTGCA GAAAGAGTGA AAGCTTTGGA GTCAGCCCG 2389

(2) INFORMATION FOR SEQ ID NO:19:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 20 base pairs
 - (B) TYPE: nucleic acid

r. Fi

- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: cDNA
- (iii) HYPOTHETICAL: NO
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:19:

AGTGGCTGGA AAACGAGCTA

(2) INFORMATION FOR SEQ ID NO:20: (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 20 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear (ii) MOLECULE TYPE: cDNA (iii) HYPOTHETICAL: NO (xi) SEQUENCE DESCRIPTION: SEQ ID NO:20: 20 CTTGATCCCT TCTGGTTGAT (2) INFORMATION FOR SEQ ID NO:21: (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 20 base pairs (B) TYPE: nucleic acid i i (C) STRANDEDNESS: single (D) TOPOLOGY: linear ge Ar (ii) MOLECULE TYPE: cDNA (iii) HYPOTHETICAL: NO (xi) SEQUENCE DESCRIPTION: SEQ ID NO:21: AGTGGCTTGA AAATGAGCTC 20

(2) INFORMATION FOR SEQ ID NO:22:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 21 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: cDNA
- (iii) HYPOTHETICAL: NO
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:22:

CTTGATCCCT TCTGGTAGAT G